OFFICE OF THE PRINCIPAL: RAJDHANI COLLEGE, BHUBANESWAR No. 2258 //Date. 08.08.2019

QUOTATION CALL NOTICE

Sealed quotations are invited from the firms/agencies with GST clearance for supply of Desktop Computers, Laptop, Printer, Photocopier, Projector, Public address system, Classroom furniture, Steel Racks, Almirah, Bookcase, S-Type chair, Green Board, White board, Podium, PVC chairs and Armless chair etc. (in separate envelopes) on or before 17.08.2019 (Saturday). The name of the item should be written on top of the sealed envelope containing the quotation.

For details, visit www.rajdhanicollege.org.in.

S/d- Principal Rajdhani College, Bhubaneswar

Technical Specification

S No	Specification	No of Unit	Price (inclusive of GST)
1	Desktop – HP / Dell / Lenovo or equivalent Intel Core i5, 1TB Hard Disk, 8GB DDR4 RAM, Micro Tower Cabinet, HDMI, USB, Wifi connectivity, 19.5" or larger LED monitor, Original Win 10 Professional preloaded (certificate indicating serial no of preloaded OS to be provided), USB Mouse and Keyboard, 3 years onsite warranty with standard Desktop Table		
2	Laptop – HP / Dell / Lenovo or equivalent Intel Core i5, 1TB Hard Disk, 8GB DDR4 RAM, HDMI, USB port, 15.6" FHD screen, Original Win 10 Professional preloaded (certificate indicating serial no of preloaded OS to be provided), 3 years onsite warranty		
3	Projector – Epson / BenQ / Sony or equivalent WXGA 1200x800 long throw, 4000 ansi lumens or greater, 13000:1 contrast, USB type A, HDMI x 2, 2W inbuilt speaker, 1 year onsite warranty Projector Screen - Tripod Projection Screen 6Ft(Width)x4Ft(Height), 84 Inches 4:03, Portable Indoor Outdoor Projector Screen, Pull Up Foldable Stand		
4	PUBLIC ADDRESS SYSTEM (MAKE : AHUJA or Equivalent) • Amplifier 120 watt support for Model SSB-120 • 2 nos. 50 watt audio speaker Model – SRX 50Dx • PA VHF Wireless Microphone Model – AWM – 900 UL • Dual PA VHF wireless microphone (AWM 520V2) • Extension adapter XLR male to XLR Female per unit • Best Quality Speaker wire per meter price • Microphone stand		
5.	HP Laser Printer 1020plus		

6.	Digital Photocopier	
	CANON IR 2520W (20 CPM A4)	
	A-3 Digital Copier	
	Networking Printer	
	Colour scanner in between Duplex and Toner or	
	Its equivalent	

• Prices should include all applicable taxes and delivery, installation at desired location. (Taxes should be stated separately along with unit price)

Documents to be submitted along with Quotation

- 1. Self attested copy of GSTN/Service Tax No/ Sales Tax/VAT/TIN
- 2. Self attested copy of GST and other TAX clearance certificate till 30.06.2019
- 3. Self attested copy of last 3 years IT return and audited balance sheet
- 4. Self attested copy of PAN and aadhaar card
- 5. Authorisation letter from Manufacturer for the items mentioned

Sl No.	Product	Technical Specification	Preferred Brand
01.	Steel Table	Size & Technical Specification: Steel table size of (Length 900 x Depth 600 x Height 755	Godrej/Methodex/ Featherlite & equivalent
		mm) having one side 3 drawer unit. 19 mm thick teak wood color top. CRC square pipe frame and powder coated finishing.	
02.	Steel Table	Size & Technical Specification: Steel table size of (Length 1510 x Depth 910 x Height 755 mm) having one side lockable 3 drawer unit & other side one big single unit. 19 mm thick teak wood color top.CRC square pipe frame with 6 legs for extra strength with front modesty cover and powder coated finishing.	Godrej/Methodex/ Featherlite & equivalent
03.	Steel Rack	Size & Technical Specification: Slotted angle rack size of 1800(h) x 900 (w) x 450 (d) with 6 panels having 16 gauge thickness, 6 fold in each panel for extra strength. Steel rack epoxy stain free powder coated finish.	Godrej/Methodex/ Featherlite & equivalent

04.	Book Case	Image: Size & Technical Specification:	Godrej/Methodex/ Featherlite & equivalent
		Size of 1675 (h) x 8405 (w) x 310 (d) mm, shelves 4 no. Front open with transparent glass. High quality cold rolled close annealed (CRCA) sheet. Anticorrosion treated components, treated with seven step anti corrosion process as per IS: 3312:84. Thickness of door frame should be 18-20 gauge having transparent 5mm front glass and rest body 20-22 gauge. Oven baked powder coated. Color -grey.	
05.	Steel Almirah	Image:	Godrej/Methodex/ Featherlite & equivalent
		Size & Technical Specification: Size of 1980(h) x 915(w) x 485(d) mm, storage shelves 4 no. adjustable make five compartment. High quality cold rolled close annealed (CRCA) sheet. Anticorrosion treated components, treated with seven steps anti corrosion process as per IS: 3312:84 standard. Thickness of sheet is 20 gauge front. Three way bolting device and six lever lock (Dual Lock) with high quality hinges an overlapping doors. Oven baked powder coated. Color -grey.	

- (0. 1.0.1.1	T	0 1 '/M 1 1 /
06.	Steel Table	Image:	Godrej/Methodex/
			Featherlite &
			equivalent
		Size & Technical Specification:	
		Steel table size of (Length 900 x Depth 600 x Height 755	
		mm). 19 mm thick teak beige wood color top. CRC square	
		pipe frame with powder coated.	
07.	Steel Table	Image:	Godrej/Methodex/
			Featherlite &
			equivalent
		Size & Technical Specification:	
		Steel table size of (Length 900 x Depth 600 x Height	
		755 mm) having one side 01 drawer unit. 19 mm thick	
		teak wood color top. CRC square pipe frame and	
		powder coated finishing.	
08.	Dual Desk	Image:	Godrej/Methodex/
08.	Duai Desk	image.	Featherlite &
			equivalent
			equivalent
		PARTS USED (MATERIAL/TYPE)	
		Top Board: - Designed with 18 mm Prelam Particle Board	
		in plain matt finish with 2 mm edge banding.	
		Shelf: - Designed with 18 mm Prelam Particle Board in	
		plain matt finish with 2 mm edge banding.	
		Modesty: - Designed with 18 mm Prelam Particle Board in	
		plain matt finish with 2 mm edge banding.	
		Seat: - Designed with 18 mm Prelam Particle Board in	
		plain matt finish with 2 mm edge banding.	
		Back: - Designed with 18 mm Prelam Particle Board in	
		plain matt finish with 2 mm edge banding.	
1		2 0	
		I Inder Structure: _ MS course Pine with of mm Seven	
		Under Structure: - MS square Pipe with 25 mm. Seven	
		tank processor powder Coated – Black, two pipe	

		DIMENSIONAL /SPECIFICATION Max. Height $750 \pm 5 & 700 \pm 5$, Max. Width 900 ± 15 , Max. Depth 920 ± 10 Top Desk: Width 900 ± 15 , Depth 400 ± 5 , Thickness 18.00 Modesty: Width 190 ± 1 , Length 900 ± 1 , Thickness 18.00 Shelf: Height 200 ± 5 , Width 900 ± 15 , Thickness 18.00 , Height from ground 545 ± 5 Base Seat: Width 900 ± 15 , Depth 290 ± 5 , Thickness 18.00 Back Seat: Width 900 ± 15 , Length 200 ± 5 , Height from seat 320 ± 5 , Thickness 18.00	
09.	S Type Chair	Image: SType Chair Size: (Height 830 (450) X Width 530 X Depth 565) MM S Type single frame with full arm made out of 14 gauge tubular pipe with addition reinforcement at the corner fitted with 8 mm hot pressed ply on seat & back in fabric with high density foam with black leatherette finishing.	Godrej/Methodex/ Featherlite & equivalent
10.	Podium	Image: Podium double pole SS Brass, Size – 43" height Made with high quality stainless steel poles with reading light facility at the top.	-

11.	Green Board	Different Size: (4' x 4') / (6' x 4')/ (8' x 4') Technical Specification: Frame Aluminum, Magnetic Green Board Construction Steel-backed and square miter corners for classroom use.	Liberty/Kores/PHD & equivalent
12.	Portable white board with stand	Size: (3' x 2') Technical Specification: Frame Aluminium Construction Steel-backed and square miter corners Surface Material Porcelain surface; combination projection and dry-erase surface. The stand of the mobile white board should be processed in seven tank processor system with powder coated finish.	Liberty/Kores/PHD & equivalent
13.	PVC chair	PVC Chair with arm	Neelkamal/Supreme & equivalent
14.	PVC chair	PVC Chair with arm and high density foam should be covered with red cushion for both the seat and back rest.	Neelkamal/Supreme & equivalent
15.	Moveable Handless chair	For office purpose	